Nuclear Engineering and Design 120 (1990) 459–461
North-Holland



# AUTHOR INDEX TO VOLUME 120

Akagawa, K., see Takenaka 120 (1990) 293
Anegawa, T., see Muto 120 (1990) 311
Anoda, Y., see Koizumi 120 (1990) 301
Aoki, S., see Aritomi 120 (1990) 281
Arikawa, H., see Sawada 120 (1990) 341
Aritomi, M., A. Inoue, S. Aoki and K. Hanawa, Thermo-hydraulic behavior of inverted annular flow 120 (1990) 281
Asaka, H., see Kukita 120 (1990) 249

Brewer, H.D., see Davis 120 (1990) 115

Carcassi, M., see Fineschi 120 (1990) 57
Carnasciali, F., see Fineschi 120 (1990) 57
Chiba, T., see Madarame 120 (1990) 193

Davis, G.A., R.A. Matzie, M.D. Green, H.D. Brewer and W.A. Fox, Design considerations for severe accident containment performance 120 (1990) 115
De Boeck, B., Severe accident risk reduction by containment leakage testing during operation 120 (1990) 87

Ebata, S., see Muto 120 (1990) 227
Ebata, S., see Muto 120 (1990) 311
Eberle, F., B. Göller and R. Krieg, Comparison between calculated and measured eigenfrequencies for spherical steel containment shells 120 (1990) 15
Edwards, N.W., Proposed acceptance criteria for severe accident evaluations of steel containment vessels 120 (1990) 105
Eguchi, Y., see Tanaka 120 (1990) 395

Fineschi, F., M. Carcassi and F. Carnasciali, Inerting and venting of Mark II containments in BWR nuclear plants 120 (1990) 57
Fox, W.A., see Davis 120 (1990) 115
Fujii, T., see Takenaka 120 (1990) 293
Fukahori, T., see Muto 120 (1990) 227

Göller, B., see Eberle 120 (1990) 15
Green, M.D., see Davis 120 (1990) 115
Greene, S.R., The role of BWR secondary containments in severe accident mitigation: Issues and insights from recent analyses 120 (1990) 75

Hanawa, K., see Aritomi 120 (1990) 281
Hasegawa, T., see Oyamada 120 (1990) 1
Hata, K., see Sakurai 120 (1990) 271
Hino, R., see Miyamoto 120 (1990) 435
Hirano, M., see Watanabe 120 (1990) 181
Hirao, Y., see Kawanishi 120 (1990) 447
Hishida, M., see Ogawa 120 (1990) 415
Hongisto, O., see Tuomisto 120 (1990) 67
Horschel, D.S., Synopsis of the results from overpressurizing a reinforced concrete containment model 120 (1990) 35

Ieda, Y., I. Maekawa, T. Muramatsu and S. Nakanishi, Experimental and analytical studies of thermal stratification phenomenon in outlet plenum of fast breeder reactors 120 (1990) 403
Inagaki, Y., see Miyamoto 120 (1990) 435
Inoue, A., see Aritomi 120 (1990) 281
Ioka, I., see Miyamoto 120 (1990) 435
Ishida, T., T. Kusunoki, H. Murata, T. Yokomura, M. Kobayashi and H. Nariari, Thermal-hydraulic behavior of a marine reactor during oscillations 120 (1990) 213

Kaburaki, H. and T. Takizuka, Crossflow characteristics of HTGR fuel blocks 120 (1990) 425
Kaminaga, M., see Sudo 120 (1990) 135
Kamitsuma, N., see Miura 120 (1990) 241
Kamo, H., see Watanabe 120 (1990) 181
Kataoka, I. and A. Serizawa, Interfacial area concentration in bubbly flow 120 (1990) 163
Kawanishi, K., A. Tsuge, K. Kuwabara, O. Ukai and N. Nakamori, Small break LOCA experiments and verification of CANAC-II code 120 (1990) 259
Kawanishi, K., Y. Hirao and A. Tsuge, An experimental study on drift flux parameters for two-phase flow in vertical round tubes 120 (1990) 447
Kennedy, J.M., see Pfeiffer 120 (1990) 25
Kobayashi, M., see Ishida 120 (1990) 213
Koga, T., see Tanaka 120 (1990) 395
Koizumi, Y., Y. Anoda, H. Kumamaru, T. Yonomoto and K. Tasaka, High pressure reflooding experiments of multi-rod bundle at ROSA-IV TPTF 120 (1990) 301
Krieg, R., see Eberle 120 (1990) 15

Kukita, Y., H. Asaka, H. Nakamura and K. Tasaka, Pressurized water reactor core instrument tube ruptures: Experimental simulation at the ROSA-IV LSTF 120 (1990) 249
Kumamaru, H., see Koizumi 120 (1990) 301
Kusunoki, T., see Ishida 120 (1990) 213
Kuwabara, K., see Kawanishi 120 (1990) 259

Madarame, H. and T. Chiba, Gas entrainment inception at the border of a flow-swollen liquid surface 120 (1990) 193
Maekawa, I., Numerical diffusion in single-phase multi-dimensional thermal-hydraulic analysis 120 (1990) 323
Maekawa, I., see Ieda 120 (1990) 403
Marchertas, A.H., see Pfeiffer 120 (1990) 25
Matzie, R.A., see Davis 120 (1990) 115
Minazoe, K., see Sudo 120 (1990) 135
Mitsutake, T., S. Morooka, K. Suzuki, S. Tsunoyama and K. Yoshimura, Void fraction estimation within rod bundles based on three-fluid model and comparison with X-ray CT void data 120 (1990) 203
Miura, S., N. Kamitsuma, K., Moriya and T. Sugisaki, Simulation tests of BWR non-LOCA transients using the TBL 120 (1990) 241
Miyamoto, Y., K. Suzuki, R. Hino, K. Takase, Y. Inagaki and I. Ioka, Thermal and hydraulics tests of test sections in the helium engineering demonstration loop 120 (1990) 435
Miyamoto, Y., see Sugawara 120 (1990) 147
Mizoo, N., see Sawada 120 (1990) 341
Moriya, K., see Miura 120 (1990) 241
Moriya, S. and I. Ohshima, Hydraulics similarity in the temperature fluctuation phenomena of non-isothermal coaxial jets 120 (1990) 385
Moriya, S., see Tanaka 120 (1990) 395
Morooka, S., see Mitsutake 120 (1990) 203
Morooka, S., see Muto 120 (1990) 311
Muramatsu, T., see Ieda 120 (1990) 403
Muramatsu, Y., see Oyamada 120 (1990) 1
Murata, H., see Ishida 120 (1990) 213
Muto, S., O. Yokomizo, Y. Yoshimoto, T. Fukahori and S. Ebata, Space-dependent analysis of BWR core nuclear thermal hydraulic instability and thermal margin 120 (1990) 227
Muto, S., T. Anegawa, S. Morooka, S. Yokobori, T. Takigawa, S. Ebata, Y. Yoshimoto and S. Suzuki, An experimental study on rewetting phenomena in transient conditions of BWRs 120 (1990) 311

Nakamori, N., see Kawanishi 120 (1990) 259
Nakamura, H., see Kukita 120 (1990) 249
Nakanishi, S., see Ieda 120 (1990) 403
Nariai, H., see Ishida 120 (1990) 213
Ninokata, H. and T. Okano, SABENA: Subassembly boiling evolution numerical analysis 120 (1990) 349
Ninokata, H., see Shimizu 120 (1990) 369
Nishida, K., see Takenaka 120 (1990) 293

Ogawa, M. and M. Hishida, Thermohydraulic characteristics of coolant gas flow through a control rod channel in a very high temperature gas cooled reactor 120 (1990) 415
Ohshima, I., see Moriya 120 (1990) 385
Okano, T., see Ninokata 120 (1990) 349
Oyamada, O., H. Saito, Y. Muramatsu, T. Hasegawa and N. Tanaka, Experimental study of the structural behavior of the reinforced concrete containment vessel beyond design pressure 120 (1990) 1

Pfeiffer, P.A., J.M. Kennedy and A.H. Marchertas, Thermal effects in the overpressurization response of reinforced concrete containment 120 (1990) 25

Saito, H., see Oyamada 120 (1990) 1
Sakurai, A., M. Shiotsu and K. Hata, Correlations for subcooled pool film boiling heat transfer from large surfaces with different configurations 120 (1990) 271
Sammataro, R.F., Containment long-term operational integrity 120 (1990) 123
Sawada, M., H. Arikawa and N. Mizoo, Experiment and analysis of natural convection characteristics in the experimental fast reactor JOYO 120 (1990) 341
Schlueter, R.O. and R.P. Schmitz, Filtered vented containments 120 (1990) 93
Schmitz, R.P., see Schlueter 120 (1990) 93
Serizawa, A., see Kataoka 120 (1990) 163
Shimizu, T., H. Ninokata and H. Shishido, Distributed parameter analysis for the prediction of the fine structure of flow and temperature fields in wire-wrapped fuel pin bundle geometries 120 (1990) 369
Shiotsu, M., see Sakurai 120 (1990) 271
Shishido, H., see Shimizu 120 (1990) 369
Sudo, Y., M. Kaminaga and K. Minazoe, Experimental study on the effects of channel gap size on mixed convection heat transfer characteristics in vertical rectangular channels heated from both sides 120 (1990) 135
Sugawara, S. and Y. Miyamoto, FIDAS: Detailed subchannel analysis codes based on the three-fluid and three-field model 120 (1990) 147
Sugisaki, T., see Miura 120 (1990) 241
Suzuki, K., see Mitsutake 120 (1990) 203
Suzuki, K., see Miyamoto 120 (1990) 435
Suzuki, S., see Muto 120 (1990) 311

Takase, K., see Miyamoto 120 (1990) 435
Takenaka, N., K. Akagawa, T. Fujii and K. Nishida, Experimental study on flow pattern and heat transfer of inverted annular flow 120 (1990) 293
Takigawa, T., see Muto 120 (1990) 311
Takizuka, T., see Kaburaki 120 (1990) 425
Tanabe, F., see Watanabe 120 (1990) 181
Tanaka, N., S. Moriya, S. Ushijima, T. Koga and Y. Eguchi, Prediction method for thermal stratification in reactor vessel 120 (1990) 395
Tanaka, N., see Oyamada 120 (1990) 1
Tasaka, K., see Koizumi 120 (1990) 301
Tasaka, K., see Kukita 120 (1990) 249
Tsuge, A., see Kawanishi 120 (1990) 259
Tsuge, A., see Kawanishi 120 (1990) 447
Tsunoyama, S., see Mitsutake 120 (1990) 203
Tuomisto, H. and O. Hongisto, Ice melting progress in a nonuniformly loaded ice condenser facility 120 (1990) 67
Ukai, O., see Kawanishi 120 (1990) 259
Ushijima, S., see Tanaka 120 (1990) 395

Watanabe, T., M. Hirano, F. Tanabe and H. Kamo, The effect of the virtual mass force term on the numerical stability and efficiency of system calculations 120 (1990) 181
Weatherby, J.R., Post-test analysis of a piping penetration in a 1:6-scale model of reinforced concrete containment building 120 (1990) 43

Yokobori, S., see Muto 120 (1990) 311
Yokomizo, O., see Muto 120 (1990) 227
Yokomura, T., see Ishida 120 (1990) 213
Yonomoto, T., see Koizumi 120 (1990) 301
Yoshimoto, Y., see Muto 120 (1990) 227
Yoshimoto, Y., see Muto 120 (1990) 311
Yoshimura, K., see Mitsutake 120 (1990) 203

Nuclear Engineering and Design 120 (1990) 463–464
North-Holland



# SUBJECT INDEX TO VOLUME 120

## Thermal and fluid design

Ice melting progress in a nonuniformly loaded ice condenser facility, H. Tuomisto and O. Hongisto 120 (1990) 67

Experimental study on the effects of channel gap size on mixed convection heat transfer characteristics in vertical rectangular channels heated from both sides, Y. Sudo, M. Kaminaga and K. Minazoe 120 (1990) 135

FIDAS: detailed subchannel analysis code based on the three-fluid and three-field model 120 (1990) 147

Interfacial area concentration in bubbly flow, I. Kataoka and A. Serizawa 120 (1990) 163

The effect of the virtual mass force term on the numerical stability and efficiency of system calculations, T. Watanabe, M. Hirano, F. Tanabe and H. Kamo 120 (1990) 181

Gas entrainment inception at the border of a flow-swollen liquid surface, H. Madarame and T. Chiba 120 (1990) 193

Void fraction estimation within rod bundles based on three-fluid model and comparison with X-ray CT void data, T. Mitsutake, S. Morooka, K. Suzuki, S. Tsunoyama and K. Yoshimura 120 (1990) 203

Thermal-hydraulic behavior of a marine reactor during oscillations, T. Ishida, T. Kusunoki, H. Murata, T. Yokomura, M. Kobayashi and H. Nariai 120 (1990) 213

Space-dependent analysis of BWR core nuclear thermal hydraulic instability and thermal margin, S. Muto, O. Yokomizo, Y. Yoshimoto, T. Fukahori and S. Ebata 120 (1990) 227

Simulation tests of BWR non-LOCA transients using the TBL, S. Miura, N. Kamitsuma, K. Moriya and T. Sugisaki 120 (1990) 241

Pressurized water reactor core instrument tube ruptures: experimental simulation at the ROSA-IV LSTF, Y. Kukita, H. Asaka, H. Nakamura and K. Tasaka 120 (1990) 249

Small break LOCA experiments and verification of CANAC-II code, K. Kawanishi, A. Tsuge, K. Kuwabara, O. Ukai and N. Nakamori 120 (1990) 259

Correlations for subcooled pool film boiling heat transfer from large surfaces with different configurations, A. Sakurai, M. Shiotsu and K. Hata 120 (1990) 271

Thermo-hydraulic behavior of inverted annular flow, M. Aritomi, A. Inoue, S. Aoki and K. Hanawa 120 (1990) 281

Experimental study on flow pattern and heat transfer of inverted annular flow, N. Takenaka, K. Akagawa, T. Fujii and K. Nishida 122 (1990) 293

High pressure reflooding experiments of multi-rod bundle at ROSA-IV TPTF, Y. Koizumi, Y. Anoda, H. Kumamaru, T. Yonomoto and K. Tasaka 120 (1990) 301

An experimental study on rewetting phenomena in transient conditions of BWRs, S. Muto, T. Anegawa, S. Morooka, S. Yokobori, Y. Takigawa, S. Ebata, Y. Yoshimoto and S. Suzuki 120 (1990) 311

Numerical diffusion in single-phase multi-dimensional thermal-hydraulic analysis, I. Maekawa 120 (1990) 323

Experiment and analysis of natural convection characteristics in the experimental fast reactor JOYO, M. Sawada, H. Arikawa and N. Mizoo 120 (1990) 341

SABENA: Subassembly Boiling Evolution Numerical Analysis, H. Ninokata and T. Okano 120 (1990) 349

Distributed parameter analysis for the prediction of the fine structure of flow and temperature fields in wire-wrapped fuel pin bundle geometries, T. Shimizu, H. Ninokata and H. Shishido 120 (1990) 369

Hydraulic similarity in the temperature fluctuation phenomena of non-isothermal coaxial jets, S. Moriya and I. Ohshima 120 (1990) 385

Prediction method for thermal stratification in reactor vessel, N. Tanaka, S. Moriya, S. Ushijima, T. Koga and Y. Eguchi 120 (1990) 395

Experimental and analytical studies of thermal stratification phenomenon in outlet plenum of fast breeder reactors, Y. Ieda, I. Maekawa, T. Muramatsu, S. Nakanishi 120 (1990) 403

Thermohydraulic characteristics of coolant gas flow through a control rod channel in a very high temperature gas cooled reactor, M. Ogawa and M. Hishida 120 (1990) 415

Crossflow characteristics of HTGR fuel blocks, H. Kaburaki and T. Takizuka 120 (1990) 425

Thermal and hydraulic tests of test sections in the helium engineering demonstration loop, Y. Miyamoto, K. Suzuki, R. Hino, K. Takase, Y. Inagaki and I. Ioka 120 (1990) 435
An experimental study on drift flux parameters for two-phase flow in vertical round tubes, K. Kawanishi, Y. Hirao and A. Tsuge 120 (1990) 447

**Engineering mechanics**

Comparison between calculated and measured eigenfrequencies for spherical steel containment shells, F. Eberle, B. Göller and R. Krieg 120 (1990) 15

**Mechanical design, component fabrication and testing**

Comparison between calculated and measured eigenfrequencies for spherical steel containment shells, F. Eberle, B. Göller and R. Krieg 120 (1990) 15
Proposed acceptance criteria for severe accident evaluations of steel containment vessels, N.W. Edwards 120 (1990) 105

**Safeguard engineering**

Inerting and venting of Mark II containments in BWR nuclear plants, F. Fineschi, M. Carcassi and F. Carnasciali 120 (1990) 57
Ice melting progress in a nonuniformly loaded ice condenser facility, H. Tuomisto and O. Hongisto 120 (1990) 67
The role of BWR secondary containments in severe accident mitigation: issues and insights from recent analyses, S.R. Greene 120 (1990) 75
Filtered vented containments, R.O. Schlueter and R.P. Schmitz 120 (1990) 93
Containment long-term operational integrity, R.F. Sammataro 120 (1990) 123

**Layout of nuclear facilities**

Design considerations for severe accident containment performance, G.A. Davis, R.A. Matzie, M.D. Green, H.D. Brewer and W.A. Fox 120 (1990) 115

**Structural design, construction methods and testing**

Experimental study of the structural behavior of the reinforced concrete containment vessel beyond design pressure, O. Oyamada, H. Saito, Y. Muramatsu, T. Hasegawa and N. Tanaka 120 (1990) 1
Thermal effects in the overpressurization response of reinforced concrete containment, P.A. Pfeiffer, J.M. Kennedy and A.H. Marchertas 120 (1990) 25
Synopsis of the results from overpressurizing a reinforced concrete containment model, D.S. Horschel 120 (1990) 35
Post-test analysis of a piping penetration in a 1 : 6-scale model of reinforced concrete containment building, J.R. Weatherby 120 (1990) 43
Severe accident risk reduction by containment leakage testing during operation, B. de Boeck 120 (1990) 87
Proposed acceptance criteria for severe accident evaluations of steel containment vessels, N.W. Edwards 120 (1990) 105

**Nuclear Safety**

The role of BWR secondary containments in severe accident mitigation: issues and insights from recent analyses, S.R. Greene 120 (1990) 75
Containment long-term operational integrity, R.F. Sammataro 120 (1990) 123